

BIBLIOGRAFIA

1. Rodstrom K, Bengtsson C, Lissner L, Milsom I, Sundh V, Bjorkelund C. A longitudinal study of the treatment of hot flushes: the Population Study in Gothenburg during a quarter of century. *Menopause* 2002; 9: 156-161
2. Hulley S, Grady D, Bush T, et al. Randomised trial of estrogen plus progestin in secondary prevention of coronary heart disease in postmenopausal women: Heart and Estrogen/progestin Replacement Study (HERS) Research Group. *JAMA* 1998;280:105-113
3. Rossouw JE, Anderson GL, Prentice RL, et al. Writing Group for the Women's Health Initiative Investigators. Risk and benefits of estrogen plus progestin in healthy postmenopausal women: principal results from the Women's Health Initiative randomized controlled trial. *JAMA* 2002;288:321-333
4. Parazzini F for the Progetto Menopausa Italia Study Group. Trends of determinants of hormone therapy use in Italian women attending menopause clinics, 1997-2003. *Menopause* 2008; 15: 264-270
5. Nelson HD, Vesco KK, Haney E, Fu R, Nendrew A, Miller J, Nicolaïdis C, Walker M, Humphrey L. Non-hormonal therapies for menopausal hot flashes. *JAMA* 2006; 295: 2057-71
6. Boulet M, Oddens BJ, Lehert P, Vemer HM, Visser A. Climacteric and menopause in seven South-east Asian countries. *Maturitas* 1994;19: 157-176
7. Adlercreutz H, Hamalainen E, Gorbach S, Goldin B. Dietary phytoestrogens and the menopause in Japan [editorial]. *Lancet* 1992; 339:1233
8. Milder, I. E. J., Arts, I. C. W., Van de Putte, B., Venema, D. P., and Hollman, P. C. H. 2005. Lignan contents of Dutch plant foods: a database including lariciresinol, pinoresinol, secoisolariciresinol, and matairesinol. *British Journal of Nutrition*, 93:393-402
9. Thompson, L. U., Boucher, B. A., Lui, Z., Cotterchio, M., and Kreiger, N. 2006. Phytoestrogen content of foods consumed in Canada, including isoflavones, lignans and coumestan. *Nutrition and Cancer*, 54(2), 184-201
10. Duffy C, Perez K, Partridge A. Implication of phytoestrogen intake in breast cancer. *CA Cancer J Clin* 2007; 57: 260-277
11. Adlercreutz H, Mazur W. Phyto-oestrogens and western diseases. *Ann Med* 1997; 29: 95-120
12. Egger M, Davey Smith G, Schneider M, Minder C. Bias in meta-analysis detected by a simple, graphical test. *BMJ*, 1997; 315: 629-634
13. Sterne JAC, Egger M, Davey Smith G. Systematic reviews in health care: Investigating and dealing with publication and other biases in meta-analysis. *BMJ*, 2001;323:101-105
14. Albertazzi P, Pansini F, Bonaccorsi G, Zannotti L, Forini E, De Aloysio D. The effect of dietary soy supplementation on hot flushes. *Obstet Gynecol*. 1998; 91:6-11. Erratum in *Obstet Gynecol* 2001; 98:702
15. Alekel DL, Germain AS, Peterson CT, Hanson KB, Stewart JW, Toda T. Isoflavone-rich soy protein isolate attenuates bone loss in the lumbar spine of perimenopausal women. *Am J Clin Nutr.* 2000; 72:844-52
16. Allen JK, Becker DM, Kwiterovich PO, Lindenstruth KA, Curtis C. Effect of soy protein-containing isoflavones on lipoproteins in postmenopausal women. *Menopause*. 2007; 14:106-14
17. Arjmandi BH, Khalil DA, Smith BJ, Lucas EA, Juma S, Payton ME, Wild RA. Soy protein has a greater effect on bone in postmenopausal women not on hormone replacement therapy, as evidenced by reducing bone resorption and urinary calcium excretion. *J Clin Endocrinol Metab.* 2003; 88: 1048-54
18. Arjmandi BH, Lucas EA, Khalil DA, Devareddy L, Smith BJ, McDonald J, Arquitt AB, Payton ME, Mason C. One year soy protein supplementation has positive effects on bone formation markers but not bone density in postmenopausal women. *Nutr J.* 2005 Feb 23; 4:8
19. Atteritano M, Marini H, Minutoli L, Polito F, Bitto A, Altavilla D, Mazzaferro S, D'Anna R, Cannata ML, Gaudio A, Frisina A, Frisina N, Corrado F, Cancellieri F, Lubrano C, Bonaiuto M, Adamo EB, Squadrito F. Effects of the phytoestrogen genistein on some predictors of cardiovascular risk in osteopenic, postmenopausal women: a two-year randomized, double-blind, placebo-controlled study. *J Clin Endocrinol Metab.* 2007; 92: 3068-75
20. Aubertin-Leheudre M, Lord C, Khalil A, Dionne IJ. Effect of 6 months of exercise and isoflavone supplementation on clinical cardiovascular risk factors in obese postmenopausal women: a randomized, double-blind study. *Menopause*. 2007; 14: 624-9
21. Baum JA, Teng H, Erdman JW Jr, Weigel RM, Klein BP, Persky VW, Freels S, Surya P, Bakhit RM, Ramos E, Shay NF, Potter SM. Long-term intake of soy protein improves blood lipid profiles and increases mononuclear cell low-density-lipoprotein receptor messenger RNA in hypercholesterolemic, postmenopausal women. *Am J Clin Nutr.* 1998; 68:545-51
22. Brzezinski A, Adlercreutz H, Shaoul R, Rosier A, Shmueli A, Tanos V, Schenker JG. Short-term Effects of Phytoestrogen-rich Diet on Postmenopausal Women. *Menopause*. 1997; 4: 89-94
23. Burke GL, Legault C, Anthony M, Bland DR, Morgan TM, Naughton MJ, Leggett K, Washburn SA, Vitolins MZ. Soy protein and isoflavone effects on vasomotor symptoms in peri- and postmenopausal women: the Soy Estrogen Alternative Study. *Menopause*. 2003 Mar;10:147-53
24. Cancellieri F, De Leo V, Genazzani AD, Nappi C, Parenti GL, Polatti F, Ragni N, Savoca S, Teglio L, Finelli F, Nichelatti M. Efficacy on menopausal neurovegetative symptoms and some plasma lipids blood levels of an herbal product containing isoflavones and other plant extracts. *Maturitas*. 2007 Mar 20;56:249-56
25. Chen LC, Tsao YT, Yen KY, Chen YF, Chou MH, Lin MF. A pilot study comparing the clinical effects of Jia-Wey Shiao-Yau San, a traditional Chinese herbal prescription, and a continuous combined hormone replacement therapy in postmenopausal women with climacteric symptoms. *Maturitas*. 2003 Jan 30;44:55-62
26. Chen YM, Ho SC, Lam SS, Ho SS, Woo JL. Beneficial effect of soy isoflavones on bone mineral content was modified by years since menopause, body weight, and calcium intake: a double-blind, randomized, controlled trial. *Menopause*. 2004 May;11:246-54
27. Chen YM, Ho SC, Lam SS, Ho SS, Woo JL. Soy isoflavones have a favorable effect on bone loss in Chinese postmenopausal women with lower bone mass: a double-blind, randomized, controlled trial. *J Clin Endocrinol Metab.* 2003; 88:4740-7
28. Cheng G, Wilczek B, Warner M, Gustafsson JA, Landgren BM. Isoflavone treatment for acute menopausal symptoms. *Menopause*. 2007 May;14(3 Pt 1):468-73
29. Chiechi LM, Secreto G, D'Amore M, Fanelli M, Venturelli E, Cantatore F, Valerio T, Laselva G, Loizzi P. Efficacy of a soy rich diet in preventing postmenopausal osteoporosis: the

- Menfis randomized trial. *Maturitas.* 2002 Aug 30;42:295-300
- 30.** Chung DJ, Kim HY, Park KH, Jeong KA, Lee SK, Lee YI, Hur SE, Cho MS, Lee BS, Bai SW, Kim CM, Cho SH, Hwang JY, Park JH. Black cohosh and St. John's wort (GYNO-Plus) for climacteric symptoms. *Yonsei Med J.* 2007 Apr 30;48:289-94
- 31.** Colacurci N, Zarcone R, Borrelli A, De Francisco P, Fortunato N, Cirillo M, Fornaro F. Effects of soy isoflavones on menopausal neurovegetative symptoms. *Minerva Ginecol.* 2004; 56:407-12
- 32.** Crisafulli A, Altavilla D, Marini H, Bitto A, Cucinotta D, Frisina N, Corrado F, D'Anna R, Squadrito G, Adamo EB, Marini R, Romeo A, Cancellieri F, Buemi M, Squadrito F. Effects of the phytoestrogen genistein on cardiovascular risk factors in postmenopausal women. *Menopause.* 2005; 12:186-92
- 33.** Crisafulli A, Altavilla D, Squadrito G, Romeo A, Adamo EB, Marini R, Inferrera MA, Marini H, Bitto A, D'Anna R, Corrado F, Bartolone S, Frisina N, Squadrito F. Effects of the phytoestrogen genistein on the circulating soluble receptor activator of nuclear factor kappaB ligand-osteoprotegerin system in early postmenopausal women. *J Clin Endocrinol Metab.* 2004; 89:188-92
- 34.** Crisafulli A, Marini H, Bitto A, Altavilla D, Squadrito G, Romeo A, Adamo EB, Marini R, D'Anna R, Corrado F, Bartolone S, Frisina N, Squadrito F. Effects of genistein on hot flushes in early postmenopausal women: a randomized, double-blind EPT- and placebo-controlled study. *Menopause.* 2004 ;11:400-4
- 35.** D'Anna R, Cannata ML, Atteritano M, Cancellieri F, Corrado F, Baviera G, Triolo O, Antico F, Gaudio A, Frisina N, Bitto A, Polito F, Minutoli L, Altavilla D, Marini H, Squadrito F. Effects of the phytoestrogen genistein on hot flushes, endometrium, and vaginal epithelium in postmenopausal women: a 1-year randomized, double-blind, placebo-controlled study. *Menopause.* 2007; 14: 648-55
- 36.** Dalais FS, Ebeling PR, Kotsopoulos D, McGrath BP, Teede HJ. The effects of soy protein containing isoflavones on lipids and indices of bone resorption in postmenopausal women. *Clin Endocrinol (Oxf).* 2003; 58:704-9
- 37.** Dent SB, Peterson CT, Brace LD, Swain JH, Reddy MB, Hanson KB, Robinson JG, Alekel DL. Soy protein intake by perimenopausal women does not affect circulating lipids and lipoproteins or coagulation and fibrinolytic factors. *J Nutr.* 2001; 131:2280-7
- 38.** Dewell A, Hollenbeck CB, Bruce B. The effects of soy-derived phytoestrogens on serum lipids and lipoproteins in moderately hypercholesterolemic postmenopausal women. *J Clin Endocrinol Metab.* 2002; 87:118-21
- 39.** Dodin S, Cunnane SC, Mâsse B, Lemay A, Jacques H, Asselin G, Tremblay-Mercier J, Marc I, Lamarche B, Légaré F, Forest JC. Flaxseed on cardiovascular disease markers in healthy menopausal women: a randomized, double-blind, placebo-controlled trial. *Nutrition.* 2008; 24:23-30. Epub 2007 Nov 5
- 40.** Dodin S, Lemay A, Jacques H, Légaré F, Forest JC, Mâsse B. The effects of flaxseed dietary supplement on lipid profile, bone mineral density, and symptoms in menopausal women: a randomized, double-blind, wheat germ placebo-controlled clinical trial. *J Clin Endocrinol Metab.* 2005; 90:1390-7
- 41.** Engelman HM, Alekel DL, Hanson LN, Kanthasamy AG, Reddy MB. Blood lipid and oxidative stress responses to soy protein with isoflavones and phytic acid in postmenopausal women. *Am J Clin Nutr.* 2005; 81:590-6
- 42.** Evans EM, Racette SB, Van Pelt RE, Peterson LR, Villareal DT. Effects of soy protein isolate and moderate exercise on bone turnover and bone mineral density in postmenopausal women. *Menopause.* 2007 May;14(3 Pt 1):481-8
- 43.** Faure ED, Chantre P, Mares P. Effects of a standardized soy extract on hot flushes: a multicenter, double-blind, randomized, placebo-controlled study. *Menopause.* 2002; 9:329-34
- 44.** Frei-Kleiner S, Schaffner W, Rahlf VW, Bodmer Ch, Birkhäuser M. Cimicifuga racemosa dried ethanolic extract in menopausal disorders: a double-blind placebo-controlled clinical trial. *Maturitas.* 2005 Aug 16;51:397-404. Epub 2004 Dec 10
- 45.** Gallagher JC, Satpathy R, Rafferty K, Haynatzka V. The effect of soy protein isolate on bone metabolism. *Menopause.* 2004 May;11:290-8
- 46.** Gardner CD, Newell KA, Cherin R, Haskell WL. The effect of soy protein with or without isoflavones relative to milk protein on plasma lipids in hypercholesterolemic postmenopausal women. *Am J Clin Nutr.* 2001; 73:728-35.
- 47.** Garrido A, De la Maza MP, Hirsch S, Valladares L. Soy isoflavones affect platelet thromboxane A2 receptor density but not plasma lipids in menopausal women. *Maturitas.* 2006 Jun 20;54:270-6. Epub 2006 Jan 18
- 48.** Han KK, Soares JM Jr, Haidar MA, de Lima GR, Baracat EC. Benefits of soy isoflavone therapeutic regimen on menopausal symptoms. *Obstet Gynecol.* 2002; 99:389-94
- 49.** Heyerick A, Vervarcke S, Depypere H, Bracke M, De Keukeleire D. A first prospective, randomized, double-blind, placebo-controlled study on the use of a standardized hop extract to alleviate menopausal discomforts. *Maturitas.* 2006 May 20;54:164-75
- 50.** Ho SC, Chen YM, Ho SS, Woo JL. Soy isoflavone supplementation and fasting serum glucose and lipid profile among postmenopausal Chinese women: a double-blind, randomized, placebo-controlled trial. *Menopause.* 2007 Sep;14:905-12
- 51.** Howes JB, Sullivan D, Lai N, Nestel P, Pomeroy S, West L, Eden JA, Howes LG. The effects of dietary supplementation with isoflavones from red clover on the lipoprotein profiles of post menopausal women with mild to moderate hypercholesterolaemia. *Atherosclerosis.* 2000; 152:143-7
- 52.** Khaodhia L, Ricciotti HA, Li L, Pan W, Schickel M, Zhou J, Blackburn GL. Daidzein-rich isoflavone aglycones are potentially effective in reducing hot flashes in menopausal women. *Menopause.* 2008; 15:125-32
- 53.** Knight DC, Howes JB, Eden JA, Howes LG. Effects on menopausal symptoms and acceptability of isoflavone-containing soy powder dietary supplementation. *Climacteric.* 2001; 4:13-8
- 54.** Knight DC, Howes JB, Eden JA. The effect of Promensil, an isoflavone extract, on menopausal symptoms. *Climacteric.* 1999; 2:79-84. 11910671 137
- 55.** Knudson Schult TM, Ensrud KE, Blackwell T, Ettinger B, Wallace R, Tice JA. Effect of isoflavones on lipids and bone turnover markers in menopausal women. *Maturitas.* 2004; 48: 209-18
- 56.** Kotsopoulos D, Dalais FS, Liang YL, McGrath BP, Teede HJ. The effects of soy protein containing phytoestrogens on menopausal symptoms in postmenopausal women. *Climacteric.* 2000; 3:161-7
- 57.** Kreijkamp-Kaspers S, Kok L, Grobbee DE,

- de Haan EH, Aleman A, Lampe JW, van der Schouw YT. Effect of soy protein containing isoflavones on cognitive function, bone mineral density, and plasma lipids in postmenopausal women: a randomized controlled trial. *JAMA*. 2004 Jul 7;292:65-74
58. Lewis JE, Nickell LA, Thompson LU, Szalai JP, Kiss A, Hilditch JR. A randomized controlled trial of the effect of dietary soy and flaxseed muffins on quality of life and hot flashes during menopause. *Menopause*. 2006;13:631-42
59. Lissin LW, Oka R, Lakshmi S, Cooke JP. Isoflavones improve vascular reactivity in postmenopausal women with hypercholesterolemia. *Vasc Med*. 2004; 9:26-30
60. Lucas EA, Wild RD, Hammond LJ, Khalil DA, Juma S, Daggy BP, Stoecker BJ, Arjmandi BH. Flaxseed improves lipid profile without altering biomarkers of bone metabolism in postmenopausal women. *J Clin Endocrinol Metab*. 2002; 87:1527-32
61. Lydeking-Olsen E, Beck-Jensen JE, Setchell KD, Holm-Jensen T. Soymilk or progesterone for prevention of bone loss—a 2 year randomized, placebo-controlled trial. *Eur J Nutr*. 2004; 43:246-57
62. Maesta N, Nahas EA, Nahas-Neto J, Orsatti FL, Fernandes CE, Traiman P, Burini RC. Effects of soy protein and resistance exercise on body composition and blood lipids in postmenopausal women. *Maturitas*. 2007; 56:350-8
63. Marini H, Minutoli L, Polito F, Bitto A, Altavilla D, Atteritano M, Gaudio A, Mazzaferro S, Frisina A, Frisina N, Lubrano C, Bonaiuto M, D'Anna R, Cannata ML, Corrado F, Adamo EB, Wilson S, Squadrato F. Effects of the phytoestrogen genistein on bone metabolism in osteoporotic postmenopausal women: a randomized trial. *Ann Intern Med*. 2007 Jun 19;146:839-47. Summary for patients in: *Ann Intern Med*. 2007 Jun 19;146:134
- (64) Morabito N, Crisafulli A, Vergara C, Gaudio A, Lasco A, Frisina N, D'Anna R, Corrado F, Pizzoleo MA, Cincotta M, Altavilla D, Ientile R, Squadrato F. Effects of genistein and hormone-replacement therapy on bone loss in early postmenopausal women: a randomized double-blind placebo-controlled study. *J Bone Miner Res*. 2002; 17:1904-12
65. Mori M, Sagara M, Ikeda K, Miki T, Yamori Y. Soy isoflavones improve bone metabolism in postmenopausal Japanese women. *Clin Exp Pharmacol Physiol*. 2004; 31 Suppl 2:S44-6
66. Mucci M, Carraro C, Mancino P, Monti M, Papadia LS, Volpini G, Benvenuti C. Soy isoflavones, lactobacilli, Magnolia bark extract, vitamin D3 and calcium. Controlled clinical study in menopause. *Minerva Ginecol*. 2006; 58:323-34
67. Murkies AL, Lombard C, Strauss BJ, Wilcox G, Burger HG, Morton MS. Dietary flour supplementation decreases post-menopausal hot flushes: effect of soy and wheat. *Maturitas*. 1995; 21:189-95
68. Nahas EA, Nahas-Neto J, Orsatti FL, Carvalho EP, Oliveira ML, Dias R. Efficacy and safety of a soy isoflavone extract in postmenopausal women: a randomized, double-blind, and placebo-controlled study. *Maturitas*. 2007 Nov 20;58:249-58
69. Nahas PE, Nahás Neto J, De Luca L, Traiman P, Pontes A, Dalben I. Benefits of soy germ isoflavones in postmenopausal women with contraindication for conventional hormone replacement therapy. *Maturitas*. 2004 Aug 20;48:372-80
70. Naissides M, Mamo JC, James AP, Pal S. The effect of chronic consumption of red wine on cardiovascular disease risk factors in postmenopausal women. *Atherosclerosis*. 2006; 185:438-45. Epub 2005 Aug 10
71. Newton KM, Reed SD, LaCroix AZ, Grothaus LC, Ehrlich K, Guiltinan J. Treatment of vasomotor symptoms of menopause with black cohosh, multibotanicals, soy, hormone therapy, or placebo: a randomized trial. *Ann Intern Med*. 2006 Dec 19;145:869-79. Summary for patients in: *Ann Intern Med*. 2006 Dec 19;145:I25
72. Osmers R, Friede M, Liske E, Schnitker J, Freudenstein J, Henneicke-von Zepelin HH. Efficacy and safety of isopropanolic black cohosh extract for climacteric symptoms. *Obstet Gynecol*. 2005; 105(5 Pt 1):1074-83. Erratum in: *Obstet Gynecol*. 2005; 106:644
73. Penotti M, Fabio E, Modena AB, Rinaldi M, Omodei U, Viganó P. Effect of soy-derived isoflavones on hot flushes, endometrial thickness, and the pulsatility index of the uterine and cerebral arteries. *Fertil Steril*. 2003; 79:1112-7
74. Potter SM, Baum JA, Teng H, Stillman RJ, Shay NF, Erdman JW Jr. Soy protein and isoflavones: their effects on blood lipids and bone density in postmenopausal women. *Am J Clin Nutr*. 1998; 68(6 Suppl):1375S-1379S
75. Sammartino A, Tommaselli GA, Gargano V, di Carlo C, Attianese W, Nappi C. Short-term effects of a combination of isoflavones, lignans and Cimicifuga racemosa on climacteric-related symptoms in postmenopausal women: a double-blind, randomized, placebo-controlled trial. *Gynecol Endocrinol*. 2006; 22:646-50
76. Scambia G, Mango D, Signorile PG, Anselmi Angeli RA, Palena C, Gallo D, Bombardelli E, Morazzoni P, Riva A, Mancuso S. Clinical effects of a standardized soy extract in postmenopausal women: a pilot study. *Menopause*. 2000; 7:105-11
77. Secreto G, Chiechi LM, Amadori A, Miceili R, Venturelli E, Valerio T, Marubini E. Soy isoflavones and melatonin for the relief of climacteric symptoms: a multicenter, double-blind, randomized study. *Maturitas*. 2004 Jan 20;47:11-20
78. Spangler L, Newton KM, Grothaus LC, Reed SD, Ehrlich K, LaCroix AZ. The effects of black cohosh therapies on lipids, fibrinogen, glucose and insulin. *Maturitas*. 2007 Jun 20;57:195-204
79. St Germain A, Peterson CT, Robinson JG, Alekel DL. Isoflavone-rich or isoflavone-poor soy protein does not reduce menopausal symptoms during 24 weeks of treatment. *Menopause*. 2001 Jan;8:17-26
80. Teede HJ, Dalais FS, Kotsopoulos D, Liang YL, Davis S, McGrath BP. Dietary soy has both beneficial and potentially adverse cardiovascular effects: a placebo-controlled study in men and postmenopausal women. *J Clin Endocrinol Metab*. 2001; 86:3053-60
81. Tice JA, Ettinger B, Ensrud K, Wallace R, Blackwell T, Cummings SR. Phytoestrogen supplements for the treatment of hot flashes: the Isoflavone Clover Extract (ICE) Study: a randomized controlled trial. *JAMA*. 2003 Jul 9;290:207-14
82. Uebelhack R, Blohmer JU, Graubaum HJ, Busch R, Gruenwald J, Wernecke KD. Black cohosh and St. John's wort for climacteric complaints: a randomized trial. *Obstet Gynecol*. 2006; 107(2 Pt 1):247-55
83. Uesugi T, Fukui Y, Yamori Y. Beneficial effects of soybean isoflavone supplementation on bone metabolism and serum lipids in postmenopausal Japanese women: a four-week study. *J Am Coll Nutr*. 2002; 21:97-102
84. Uesugi T, Toda T, Okuhira T, Chen JT. Evidence of estrogenic effect by the three-month-intervention of isoflavone on vaginal matura-

- tion and bone metabolism in early postmenopausal women. *Endocr J.* 2003; 50:613-9
- 85.** Upmalis DH, Lobo R, Bradley L, Warren M, Cone FL, Lamia CA. Vasomotor symptom relief by soy isoflavone extract tablets in postmenopausal women: a multicenter, double-blind, randomized, placebo-controlled study. *Menopause.* 2000; 7:236-42. Erratum in: *Menopause* 2000 Nov;7:422
- 86.** Verhoeven MO, Teerlink T, Kenemans P, Zuijdgeest-van Leeuwen SD, van der Mooren MJ. Effects of a supplement containing isoflavones and *Actaea racemosa* L. on asymmetric dimethylarginine, lipids, and C-reactive protein in menopausal women. *Fertil Steril.* 2007; 87:849-57
- 87.** Verhoeven MO, van der Mooren MJ, van de Weijer PH, Verdegem PJ, van der Burgt LM, Kenemans P; CuraTrial Research Group. Effect of a combination of isoflavones and *Actaea racemosa* Linnaeus on climacteric symptoms in healthy symptomatic perimenopausal women: a 12-week randomized, placebo-controlled, double-blind study. *Menopause.* 2005; 12:412-20. Epub 2005 Jul 21
- 88.** Vigna GB, Pansini F, Bonaccorsi G, Alberzazzi P, Donegà P, Zanotti L, De Aloysio D, Mollica G, Fellin R. Plasma lipoproteins in soy-treated postmenopausal women: a double-blind, placebo-controlled trial. *Nutr Metab Cardiovasc Dis.* 2000; 10:315-22
- 89.** Woo J, Lau E, Ho SC, Cheng F, Chan C, Chan AS, Haines CJ, Chan TY, Li M, Sham A. Comparison of *Pueraria lobata* with hormone replacement therapy in treating the adverse health consequences of menopause. *Menopause.* 2003; 10:352-61
- 90.** Wu J, Oka J, Ezaki J, Ohtomo T, Ueno T, Uchiyama S, Toda T, Uehara M, Ishimi Y. Possible role of equol status in the effects of isoflavone on bone and fat mass in postmeno-
- pausal Japanese women: a double-blind, randomized, controlled trial. *Menopause.* 2007 Sep;14:866-74
- 91.** Wu J, Oka J, Higuchi M, Tabata I, Toda T, Fujioka M, Fuku N, Teramoto T, Okuhira T, Ueno T, Uchiyama S, Urata K, Yamada K, Ishimi Y. Cooperative effects of isoflavones and exercise on bone and lipid metabolism in postmenopausal Japanese women: a randomized placebo-controlled trial. *Metabolism.* 2006; 55:423-33
- 92.** Wu J, Oka J, Tabata I, Higuchi M, Toda T, Fuku N, Ezaki J, Sugiyama F, Uchiyama S, Yamada K, Ishimi Y. Effects of isoflavone and exercise on BMD and fat mass in postmenopausal Japanese women: a 1-year randomized placebo-controlled trial. *J Bone Miner Res.* 2006; 21:780-9
- 93.** Wuttke W, Gorkow C, Seidlová-Wuttke D. Effects of black cohosh (*Cimicifuga racemosa*) on bone turnover, vaginal mucosa, and various blood parameters in postmenopausal women: a double-blind, placebo-controlled, and conjugated estrogens-controlled study. *Menopause.* 2006; 13:185-96
- 94.** Wuttke W, Seidlová-Wuttke D, Gorkow C. The *Cimicifuga* preparation BNO 1055 vs. conjugated estrogens in a double-blind placebo-controlled study: effects on menopause symptoms and bone markers. *Maturitas.* 2003 Mar 14;44 Suppl 1:S67-77
- 95.** Yamori Y, Moriguchi EH, Teramoto T, Miura A, Fukui Y, Honda KI, Fukui M, Nara Y, Taijra K, Moriguchi Y. Soybean isoflavones reduce postmenopausal bone resorption in female Japanese immigrants in Brazil: a ten-week study. *J Am Coll Nutr.* 2002; 21:560-3
- 96.** Yang HM, Liao MF, Zhu SY, Liao MN, Rohdewald P. A randomised, double-blind, placebo-controlled trial on the effect of Pycnogenol on the climacteric syndrome in peri-menopausal women. *Acta Obstet Gynecol Scand.* 2007;86:978-85
- 97.** Ye YB, Tang XY, Verbruggen MA, Su YX. Soy isoflavones attenuate bone loss in early postmenopausal Chinese women : a single-blind randomized, placebo-controlled trial. *Eur J Nutr.* 2006; 45:327-34. Epub 2006 Jun 8
- 98.** Zhang G, Qin L, Shi Y. Epimedium-derived phytoestrogen flavonoids exert beneficial effect on preventing bone loss in late postmenopausal women: a 24-month randomized, double-blind and placebo-controlled trial. *J Bone Miner Res.* 2007; 22:1072-9
- 99.** van de Weijer PH, Barentsen R. Isoflavones from red clover (Promensil) significantly reduce menopausal hot flush symptoms compared with placebo. *Maturitas.* 2002 Jul 25;42:187-93
- 100.** Nagata C, Takatsuka N, Kawakami N, Shimizu H. Soy product intake and hot flushes in Japanese women: results from a community-based prospective study. *Am J Epidemiol.* 2001; 153: 790-3
- 101.** Somekawa Y, Chiguchi M, Ishibashi T, Aso T. Soy intake related to menopausal symptoms, serum lipids, and bone mineral density in postmenopausal Japanese women. *Obstet Gynecol.* 2001; 97: 109-15
- 102.** Krebs EE, Ensrud KE, MacDonald R, Wilt TJ. Phytoestrogens for treatment of menopausal symptoms: a systematic review. *Obstet Gynecol.* 2004; 104: 824-36
- 103.** Howes LG, Howes JB, Knight DC. Isoflavone therapy for menopausal flushes: a systematic review and metanalysis. *Maturitas.* 2006
- 104.** Ma FD, Qin LQ, Wang PY, Katoh R. Soy isoflavones intake increases bone mineral density in the spine of menopausal women: meta-analysis of randomized controlled trials. *Clin Nutr.* 2008; 27: 57-64